CANADIAN ANAESTHETISTS' SOCIETY JOURNAL

Volume 6

INDEX OF AUTHORS

- Allan, D. (with CONN, A. W., and JUNKIN, C. I.), Anaesthesia with hypothermia for closure of atrial septal defects in children, 327
- (with Conn, A. W., and Junkin, C. I.), Cardiac output determination in the operating room: A microtechnique, 337
- (with Conn, A. W., and Junkin, C. I.),
 A year of paediatric cardiovascular anaesthesia, 322
- ALLARD, E., Address of the President, 211

 —— A New Year's greeting from the Presi-
- dent, 1
 ANGELL, S. N. (with DAVIES, J. I., and HANSEN, J. M.), Triflupromazine (Vesprin®), in anaesthesia: A clinical evaluation, 375
- Ashmore, P. G. (with Dodds, W. A.), Cardiac resuscitation, 75
- Beaton, A. C., Fluothane and hypotension in cats, 13
- Becka, D. R. (with Sadove, M. S., Yar-Borough, C. G., and Murray, M.), Electroencephalographic warning of impending localized cerebral disorder during anaesthesia, 238
- Beldavs, J., Intramuscular succinylcholine for endotracheal intubation in infants and children, 141
- BELZILE, M. (with Keéri Szántó, M.), Vagus and glossopharyngeal nerve paralysis:
- A case report, 285

 Bowering, M. W., An aid to general anaesthesia for bronchograms, 283
- BRECHNER, V. L. (with KAVAN, E. M., WALTER, R. D., and LINDE, L. M.), Electroencephalographic and electrocardiographic patterns during open heart operations with the use of cardiopulmonary bypass, 356
- Campbell, S. M., Report on the use of dipipanone hydrochloride as a postoperative analgesic, 62
- CARON, J. (Correspondence), 289
 CARROLL, J. J. (with Moir, R. S.), An investigation of ataraxics in labour: Meprobamate (Equanil®), 153
- (with Percheson, P. B., and Screech, G.), Ritalin® (methylphenidate): Clinical experiences, 277
- CHANG, C. A. (with WYANT, G. M.), Sodium methohexital: A clinical study, 40

- —— (with WYANT, G. M., and COCKINGS, E. C.), A clinical comparison of sodium thiopental (Pentothal®), sodium methitural (Neraval®), sodium buthalitone (Transithal®), and sodium hexobarbital (Evipal®), 108
- COCKINGS, E. C. (with WYANT, G. M., and CHANG, C. A.), A clinical comparison of sodium thiopental (Pentothal®), sodium methitural (Nerval®), sodium buthalitone (Transithal®), and sodium hexobarbital (Evipal®), 108
- COHEN, M. (with ROMAGNOLI, A., and DIAMOND, M. J.), A clinical evaluation of levomepromazine in anaesthesia, 263
- CONN, A. W. (with Allan, D., and Junkin, C. I.), Anaesthesia with hypothermia for closure of atrial septal defects in children, 327
- —— (with ALLAN, D., and JUNKIN, C. I.), Cardiac output determination in the operating room: A microtechnique, 337
- —— (with Allan, D., and Junkin, C. I.), A year of paediatric cardiovascular anaesthesia, 322
- CRANDELL, D. L. (with HOLLANDSWORTH, L. C., and WHITCHER, C. E.), The role of the anaesthesiologist in the management of severe systemic tetanus,
- Davenport, H. T. (with Rosales, J. K.), Endotracheal intubation of infants and children, 65
- DAVIES, J. I. (with HANSEN, J. M., and ANGELL, S. N.), Triflupromazine (Vesprin®) in anaesthesia: A clinical evaluation, 375
 prin®) in anaesthesia: a clinical
- evaluation, 375

 Dechêne, J.-P. (with Hébert, C.), Anileridine (Leritine®): A new synthetic analgesic in anaesthesia, 393
- Derrick, W. S. (with Noble, M. J.), Changes in the electrocardiogram during induction of anaesthesia and endotracheal intubation, 267
- DIAMOND, M. J. (with ROMAGNOLI, A., and COHEN, M.), A clinical evaluation of levomepromazine in anaesthesia, 263
- DOBKIN, A. B., The effect of anticholinergic drugs on the cardiac vagus: I, Clinical observations in patients undergoing electroshock treatment, 51

Perphenazine in clinical anaesthesia, 341 (with DONALDSON, J., and PURKIN, N.), The effect of perphenazine on epinephrine-induced cardiac arrhythmias in dogs: II, Anaesthesia with cyclopropane, chloroform, and trichlorethylene,

(with Olszewski, J.), The effect of anticholinergic drugs on the cardiac vagus: II, The cardiovascular response of animals to electroconvulsive therapy,

(with Purkin, N.), The effect of perphenazine on epinephrine-induced cardiac arrhythmias in dogs: I, Anaesthesia with Fluothane and the Fluothaneether azeotrope, 243

Dodos, W. A. (Correspondence), 291 (with ASHMORE, P. G.), Cardiac re-

suscitation, 75

DONALDSON, H. (with DOBKIN, A. B., and PURKIN, N.), The effect of perphenazine on epinephrine-induced cardiac arrhythmias in dogs: II, Anaesthesia with cyclopropane, chloroform, and trichlorethylene, 251

Fairley, H. B., The selection of a mechanical ventilator, 219

FORTIN, G. (with TREMBLAY, L.) (Correspondence), 289

The short-needle technique in brachial plexus block, 32

Gain, E. A., The practical value of the electroencephalogram during anaesthesia, 227 GIBSON, J. A., Fluothane toxicity: Pathological

studies of mouse liver and kidney, 148 GRAVE:, H. B., Blood, sweat, and tears (Editorial), 87

Hansen, J. M. (with DAVIES, J. I., and Angell, S. N.), Triflupromazine (Vesprin®) in anaesthesia: A clinical evaluation, 375

HARLAND, J. H. (with MEWETT, A. W.), The legal relationship between the surgeon

and the anaesthetist, 299

HAYLEY, F. C. (with WYANT, G. M.), The effect of halothane on the liver of dogs exposed to mild hypoxia, 271

HÉBERT, C. (with DECHENE, J.-P.), Anileridine (Leritine®): A new synthetic

analgesic in anaesthesia, 393

HOLLANDSWORTH, L. C. (with CRANDELL,
D. L., and WHITCHER, C. E.), The role of the anaesthesiologist in the management of severe tetanus, 24

HUDON, F. (with (JACQUES, A.), Block of the brachial plexus by the axillary route, Jacques, A. (with Hudon, F.), Block of the brachial plexus by the axillary route,

JONES, W. P. G., Serotonin and the carcinoid syndrome, 130

JUNKIN, C. I. (with ALLAN, D., and CONN, A. W.), Cardiac output determination in the operating room: a microtechnique, 337

with ALLAN, D., and CONN, A. W.), A year of paediatric cardiovascular

anaesthesia, 322

(with Conn, A. W., and Allan, D.), Anaesthesia with hypothermia for closure of atrial septal defects in children, 327

Kavan, E. M. (with Brechner, V. L., Walter, R. D., and Linde, L. M.), Electroencephalographic and electrocardiographic patterns during open heart operations with the use of cardiopulmonary bypass, 356

KEÉRI ŜZÁNTÓ, M. (with BELZILE, M.), Vagus and glossopharyngeal nerve paralysis:

A case report, 285

KINCH, R. A. H., What the obstetrician expects and hopes for from the anaesthetist (Guest Editorial), 90

Lambie, R. S., General analgesia for major surgery, 347

Linde, L. M. (with Kavan, E. M., Brechner, V. L., and Walter, R. D.), Electro-encephalographic and electrocardiographic patterns during open heart operations with the use of cardiopulmonary bypass, 356

LONGTIN, L. (Editorial), 2

Maykut, M. O., A reliable colorimetric method for the quantitative determination of procaine in human whole blood, 159

MEWETT, A. W. (with HARLAND, J. H.), The legal relationship between the surgeon and the anaesthetist, 299

Moir, R. S. (with Carroll, J. J.), An investi-gation of ataraxics in labour: Mepro-bamate (Equanil®), 153

MURRAY, M. (with SADOVE, M. S., YAR-BOROUGH, C. G., and BECKA, D. R.), Electroencephalographic warning of impending localized cerebral disorder during anaesthesia, 238

Noble, M. J. (with DERRICK, W. S.), Changes in the electrocardiogram during induction of anaesthesia and endotracheal intubation, 267

Olszewski, J. (with Dobkin, A. B.), The effect of anticholinergic drugs on the cardiac vagus: II, The cardiovascular response of animals to electroconvulsive therapy, 119

Percheson, P. B. (with CARROLL, J. J., and SCREECH, G.), Ritalin® (methylphenidate): Clinical experiences, 277

PURKIN, N. (with DOBKIN, A. B.), The effect of perphenazine on ephinephrine-induced cardiac arrhythmias in dogs: I, Anaesthesia with Fluothane and the Fluothane-ether azeotrope, 243

—— (with Dobkin, A. B., and Donaldson, H.), The effect of perphenazine on ephinephrine-induced cardiac arrhythmias in dogs: II, Anaesthesia with cyclopropane, chloroform, and trichlorethylene, 251

Rehder, K. (with Seldon, T. H.), Indication for the use of fluids and blood before and during operation, 385

REVELL, D. G., A circulator to eliminate mechanical dead space in circle absorption systems, 98

 An improved circulator for closed circle anaesthesia, 104

Robson, J. G., Artificial respiration and respirators, 215

—— (with Sheridan, C. A.), Fluothane in obstetrical anaesthesia, 365

—— (with Welt, P.), Regurgitation in anaesthesia: A report on some exploratory work with animals, 4

Romagnoli, A. (with Cohen, M., and Diamond, M. J.), A clinical evaluation of levomepromazine in anaesthesia, 263

Rosales, J. K. (with Davenport, H. T.), Endotracheal intubation in infants and children, 65

Sadove, M. S. (with Yarborough, C. G., Murray, M., and Becka, D. R.), Electroencephalographic warning of impending localized cerebral disorder during anaesthesia, 238

Schneiderman, B. I. (Correspondence), 290
Screech, G. (with Percheson, P. B., and
Carroll, J. J.), Ritalin® (methylphenidate): Clinical experiences, 277
Seldon, T. H. (with Rehder, K.), Indications

SELDON, T. H. (with REHDER, K.), Indications for the use of fluids and blood before and during operation, 385

SHERIDAN, C. A. (with ROBSON, J. G.), Fluothane in obstetrical anaesthesia, 365

Tremblay, L. (with FORTIN, G.) (Correspondence), 289

— (with FORTIN, G.), The short-needle technique in brachial plexus block, 32

Walter, R. D. (with KAVAN, E. M., BRECHNER, V. L., and Linde, L. M.), Electroencephalographic and electrocardiographic patterns during open heart operations with the use of cardiopulmonary bypass, 356

Welt, P. (with Rosson, J. G.), Regurgitation in anaesthesia: a report on some exploratory work with animals, 4

WHITCHER, C. E. (with CRANDELL, D. L., and HOLLANDSWORTH, L. C.), The role of the anaesthesiologist in the management of severe systemic tetanus, 24

WYANT, G. M. (with CHANG, C. A.), Sodium methohexital: A clinical study, 40

--- (with Chang, C. A., and Cockings, C.), A clinical comparison of sodium thiopental (Plentothal®), sodium methitural (Neraval®), sodium buthalitone (Transithal®), and sodium hexobarbital (Evipal®), 108

— (with HAYLEY, F. C.), The effect of halothane on the liver of dogs exposed

to mild hypoxia, 271

Yarborough, C. G. (with Sadove, M. S., Murray, M., and Becka, D. R.), Electroencephalographic warning of impending localized cerebral disorder during anaesthesia, 238

INDEX OF SUBJECTS

Adrenal glands: effect of serotonin on, 135; insufficiency, pre- and postoperative fluid requirements in patients with, 386

Afibrinogenaemia as complication of childbirth, 87

Anaesthesia (see also specific agents and procedures)

Anileridine (Leritine[®]): new synthetic analgesic in [Dechêne & Hébert], 393 causing maternal death [Kinch, Editorial],

changes in electrocardiogram during induction of [Noble & Derrick], 267

Chloroform, effect of perphenazine on epinephrine-induced cardiac arrhythmias in dogs during [Dobkin, Donaldson & Purkin], 251

clinical evaluation of levomepromazine in [Romagnoli, Cohen & Diamond], 263 electroencephalographic warning of impending localized cerebral disorder during [Sadove et al.], 238

epidural, in labour, 91

Fluothane, and hypotension in cats
[Beaton], 13; effect of perphenazine
on epinephrine-induced cardiac arrhythmias in dogs [Dobkin & Purkin],
243; toxicity: pathological studies of
mouse liver and kidney [Gibson], 148

Fluothane-ether azeotrope, effect of perphenazine on epinephrine-induced cardian arrhythmias in dogs [Dobkin

& Purkin], 243

general, aid to, for bronchograms [Bowering], 283; effects of, on body fluids, 387; for major surgery [Lambie], 347; paralysis of vagus and glossopharyngeal nerves following [Keéri-Szántó & Belzile], 285

improved circulator for closed circle

[Revell], 104

in patients with carcinoid syndrome, 136 intravenous: a clinical comparison of sodium thiopental (Pentothal®), sodium methitural (Neraval®), sodium buthalitone (Transithal®), and sodium hexobarbital (Evipal®) [Wyant, Chang & Cockings], 108; sodium methohexital in [Wyant & Chang], 40

local, use of triflupromazine (Vesprin®)

with, 380

medico-legal aspects of [Harland & Mewett], 299

monitoring, 330

obstetrical: 91; Fluothane in [Sheridan & Robson], 365; investigation of ataraxics in labour: meprobamate (Equanil®) in [Carroll & Moir], 153

paediatric: a circulator to eliminate mechanical dead space in circle absorption systems [Revell], 98; improved circulator for closed circle [Revell], 104; endotracheal intubation in [Davenport & Rosales], 65; for cardiovascular surgery [Allan, Conn & Junkin], 322; intramuscular succinylcholine for endotracheal intubation [Beldavs], 141

perphenazine in [Dobkin], 341

practical value of electroencephalogram during [Gain], 227

regional, brachial plexus block by axillary route [Hudon & Jacques], 400; shortneedle technique in brachial plexus block [Fortin & Tremblay], 32

regurgitation in: report on some exploratory work with animals [Robson &

Welt], 4 spinal, use of triflupromazine (Vesprin®) with, 380 Trichlorethylene, effect of perphenazine on epinephrine-induced cardiac arrhythmias in dogs during [Dobkin, Donaldson & Purkin], 251

Triflupromazine (Vesprin®), use in [Davies, Hansen & Angell], 375

with hypothermia for closure of atrial septal defects in children [Conn, Allan & Junkin], 326

Anaesthetist, legal relationship between surgeon and [Harland & Mewett], 299

Analgesia, see Pain, relief of Anectine, see Succinylcholine

Anileridine (Leritine®): a new synthetic analgesic in anaesthesia, [Dechêne & Hébert], 393; and Lorfan, administered concurrently, 395; pharmacology of, 393

Anoxia, cerebral, value of electroencephalogram in prognosis of patients suffer-

ing from, 233

Apparatus: circulator to eliminate mechanical dead space in circle absorption systems [Revell], 98; improved circulator for closed circle anaesthesia [Revell], 104

Ataractic drugs, see Tranquilizing agents

Block, see Nerves

Blood: fibrinogen levels, establishment of, during labour, 87; procaine in, colorimetric method for quantitative determination of [Maykut], 159; serotonin in, 131

Blood transfusion: indications for use before and during operation [Rehder & Seldon], 385; untoward reactions to,

390

Brain, serotonin in, 131

Bronchograms, aid to general anaesthesia for [Bowering], 283

Book Reviews

Cyclopropane Anaesthesia, B. H. Robbins (second edition), 172

Hospital Planning for the Anesthesiologist, W. H. L. Dornett, 172

Instrumentation in Anesthesiology, W. H.
L. Dornett and V. L. Brechner, 411

A Manual of Anaesthetic Techniques, Wm. J. Pryor, 411

Physiology of Spinal Anaesthesia, N. M. Green, 172

Varied Operations, H. A. Bruce, 173

Carcinoid syndrome: anaesthetic management of patients with, 136; serotonin distribution in [Jones], 130

Cardiac (see also Heart)

output, effect of Fluothane on, 17 resuscitation [Dodds & Ashmore], 75

sphincter, study of, in regurgitation in

anaesthesia, 8

vagus: effect of anticholinergic drugs on cardiovascular response of animals to electroconvulsive therapy [Dobkin & Olszewski], 119; observations on, in undergoing electroshock patients treatment [Dobkin], 51

Cardiopulmonary bypass, electroencephalo-graphic and electrocardiographic patterns during open heart operations with the use of [Kavan, Brechner,

Walter & Linde], 356

Cardiovascular system: effect of anticholinergic drugs on, in animals undergoing electroconvulsive therapy [Dobkin & Olszewski], 119; paediatric cardiovascular anaesthesia [Allan, Conn & Junkin], 322

Cerebral disorders, electroencephalographic warning of localized, during anaesthesia [Sadove et al.], 238

Chloroform, effect of perphenazine on epine-phrine-induced cardiac arrhythmias in dogs during anaesthesia with [Dobkin, Donaldson & Purkin], 251

Chlorpromazine: relationship to perphenazine, 341; use in management of severe systemic tetanus, 26

Chlorzoxazone, use in management of severe systemic tetanus, 25

Choline compounds, effect of serotonin on, 132

Cholinesterase, inhibition of, by serotonin, 133 Cyclopropane, effect of perphenazine on epinephrine-induced cardiac arrhythmias in dogs during anaesthesia with [Dobkin, Donaldson & Purkin], 251

Daymond recovery room, Saskatoon city hospital, 406

Dead space, see Lungs, dead space

Diabetes mellitus, pre- and postoperative fluid requirements in patients with, 385

Dipipanone hydrochloride, use as a postoperative analgesic [Campbell], 62

Drugs

anticholinergic, effect on the cardiac vagus: cardiovascular response of animals to electroconvulsive therapy [Dobkin & Olszewski], 119; clinical observations in patients undergoing electroshock treatment [Dobkin], 51

autonomic blocking, use in study of Fluothane and hypotension in cats, 14 sedative, use in management of severe

systemic tetanus, 26

Electrocardiogram, changes in, during induction of anaesthesia and endotracheal intubation [Noble & Derrick], 267

Electroencephalogram

as an aid in prognosis in patients suffering from cerebral anoxia, 233

during open heart operations with the use of cardiopulmonary bypass [Kavan, Brechner, Walter & Linde], 356

practical value of: during anaesthesia [Gain], 227; during controlled hypotension, 233; during extracorporeal circulation, 230

warning of impending localized cerebral disorder during anaesthesia [Sadove

et al.], 238

Electroshock therapy, effect of anticholinergic drugs on the cardiac vagus in: cardiovascular response of animals to electroconvulsive therapy [Dobkin & Olszewski], 119; in patients undergoing [Dobkin], 51

Epidural anaesthesia, see Anaesthesia, epi-

dural

Equanil®, see Meprobamate

Evipal®, see Sodium hexobarbital Extracorporeal circulation, value of electroencephalogram during, 231

Fibrinogen, see Blood, fibrinogen levels Fluids: indications for use before and during operation [Rehder & Seldon], 385;

technique of administration, 390 Fluothane: effect of perphenazine on epinephrine-induced cardiac arrhythmias in dogs during anaesthesia with [Dobkin & Purkin], 243; hypotensive action of, in cats [Beaton], 13; in obstetrical anaesthesia [Sheridan & Robson], 365; toxicity, pathological studies of mouse liver and kidney [Gibson], 148

Fluothane-ether azeotrope, effect of perphenazine on epinephrine-induced cardiac arrhythmias in dogs during anaesthesia with [Dobkin & Purkin], 243

Gastrointestinal tract, serotonin in, 131

Haemorrhage, during childbirth causing maternal death, 87

Halothane (see also Fluothane), effect of, on liver of dogs exposed to mild hypoxia [Haley & Wyant], 271

Heart

arrest: aetiology of, 76; diagnosis of, 77; necessitating cardiac resuscitation [Dodds & Ashmore], 75

arrhythmias, epinephrine-induced in dogs: effect of perphenazine on, during anaesthesia with cyclopropane, and chloroform, trichlorethylene [Dobkin, Donaldson & Purkin], 251; during anaesthesia with Fluothane and Fluothane-ether azeotrope [Dob-

kin & Purkin], 243

atrial septal defects in children: anaesthesia with hypothermia for closure of [Conn, Allan & Junkin], 327; pathological physiology of, 327; prognosis of, 328

cardiac output, determination in operating room: a microtechnique [Allan, Conn

& [unkin], 337

[Schneiderman] cardiac resuscitation (C), 290; [Dodds] (C), 291

open operations with use of cardiopulmonary bypass, electroencephalographic and electrocardiographic patterns [Kavan, Brechner, Walter & Linde], 356

surgery, water requirements of children

after, 387

Hypnosis, prolongation of, by serotonin, 133 Hypotension: controlled, value of electro-encephalogram during, 233; produced by Fluothane in cats [Beaton], 13

Hypothermia: with anaesthesia for closure of atrial septal defects in children [Conn, Allan & Junkin], 327; technique, 331

Hypoxia, effect of halothane on liver of dogs exposed to mild [Haley & Wyant],

Intestines, carcinoid tumours of, serotonin in, 135

Intubation

endotracheal: anatomical problems in, of infants and children, 65; changes in electrocardiogram during induction of [Noble & Derrick], 267; infants and children [Davenport & Rosales], 65; intramuscular succinylcholine for, in infants and children [Beldavs], 141

Kidney, toxic effects of Fluothane on, pathological studies in mouse [Gibson],

nasal, of infants and children, 68

Leritine®, see Anileridine

Levomepromazine, clinical evaluation of, in anaesthesia [Romagnoli, Cohen & Diamond], 263

Liver: effect of Halothane on, of dogs exposed to mild hypoxia [Haley & Wyant], 271; toxic effects of Fluothane on, pathological studies in mouse [Gibson], 148

Lorfan and Anileridine administered concurrently, 395

Lungs, dead space, mechanical, circulator to eliminate, in circle absorption systems [Revell], 98

Macmillan, Angus Alexander (Obituary), 408 Maternal mortality: anaesthesia as cause of [Kinch] (Editorial), 90; role of anaesthetist in prevention of [Graves] (Editorial), 87

Mephenesin, use in management of severe systemic tetanus, 25

Meprobamate (Equanil®): effects on newborn infant, 156; investigation of, in labour [Carroll & Moir], 153

Methocarbamol, use in management of severe systemic tetanus, 25

Methylphenidate (Ritalin®), clinical experiences [Percheson, Carroll Screech], 2777

Muscle relaxants, use in management of severe systemic tetanus, 25

Neraval®,see Sodium methitural

brachial plexus block: [Caron] (c), 289; [Fortin & Tremblay] (c), 289; by axillary route [Hudon & Jacques], 400; short-needle technique [Fortin & Tremblay], 32

glossopharyngeal, paralysis of, following general anaesthesia [Keéri-Szántó &

Belzile], 285

vagus, paralysis of, following general anaesthesia [Keéri-Szántó & Belzile],

Obituaries, see Macmillan, Angus Alexander; Rochette, Roméo; Wilkinson, Frederick Arthur Harvey

Pain, postoperative, relief of, with dipipanone hydrochloride [Campbell], 62

Pentothal®, see Sodium thiopental Pentobarbital, use in management of severe systemic tetanus, 26

Peristaltic reflex, study of, in regurgitation in anaesthesia, 8

Perphenazine: effect of, on epinephrine-induced cardiac arrhythmias in dogs during anaesthesia with cyclopropane, chloroform, and trichlorethylene [Dobkin, Donaldson & Purkin], 251; during anaesthesia with, Fluothane and Fluothane-ether azeotrope [Dobkin & Purkin], 243; in clinical anaesthesia (Dobkin), 341; relationship to chlorpromazine, 341

Pituitary gland, effect of serotonin on, 135 Presidential address (Allard), 211

Procaine, in human whole blood, colorimetric method for quantitative determination of [Maykut], 159

Regurgitation in anaesthesia: report on some exploratory work with animals [Robson & Welt], 4

Respiration: artificial, and respirators [Robson], 215; operating room machines for maintenance of adequate, 222; selection of mechanical ventilator [Fairley], 219; therapy machines, 222

Respirators, artificial respiration and [Robson] 215

Respiratory system, effect of serotonin on, 132 Resuscitation: maternal, role of anaesthetist in, 91; of newborn infants, role of anaesthetist in, 91

Ritalin®, see Methylphenidate Rochette, Roméo (Obituary), 169

Saskatoon City Hospital, Daymond recovery room, 416

Secobarbital, use in management of severe systemic tetanus, 26

Serotonin

and carcinoid syndrome [Jones], 130

distribution in body, 130 effect: on adrenal gland, 135; on pituitary glands, 135; on respiratory system, 132

functions of, in maintenance of homeostasis [Jones], 131

in blood, 131 in brain, 131

in gastrointestinal tract, 131

inhibition of cholinesterase by, 133 potentiation of choline compounds with, 132

prolongation of hypnosis with, 133
Sodium buthalitone (Transithal®): clinical comparison with sodium thiopental (Pentothal®), sodium methitural (Neraval®), and sodium hexobarbital (Evipal®), [Wyant, Chang & Cockings], 108; side-effects, 113

Cockings], 108; side-effects, 113
Sodium hexobarbital (Evipal®): clinical comparison with sodium thiopental (Pentothal®), sodium buthalitone (Transithal®), and sodium methitural (Neraval®), [Wyant, Chang & Cockings], 108; side-effects, 113

Sodium methohexital clinical study (Wyant

& Chang], 40; side-effects, 44
Sodium methitural (Neraval®): clinical comparison with sodium thiopental (Pentothal®), sodium buthalitone (Transithal®), and sodium hexobarbital (Evipal®), [Wyant, Chang & Cockings], 108; side-effects, 113

Sodium thiopental (Pentothal®): clinical comparison with sodium methitural (Neraval®), sodium buthalitone (Transithal®), and sodium hexobarbital (Evipal®), [Wyant, Chang & Cockings], 108; side-effects, 113

Succinylcholine (Anectine), intramuscular, for endotracheal intubation in infants and children [Beldavs], 141

Surgeon, legal relationship between anaesthetist and [Harland & Mewett], 299

Surgery: general analgesia for major [Lambie], 347; indications for use of fluids and blood before and during [Rehder & Seldon], 385; paediatric cardiovascular, anaesthesia for [Allan, Conn & Junkin], 322

Technique, short-needle, in brachial plexus block [Fortin & Tremblay], 32

Tetanus, role of anaesthesiologist in management of severe systemic [Crandell, Hollandsworth & Whitcher], 24

Tranquillizing agents: effects on newborn infant, 156; investigation of, in labour [Carroll & Moir], 153

Transithal®, see Sodium buthalitone

Trichlorethylene, effect of perphenazine on epinephrine-induced cardiac arrhythmias in dogs during anaesthesia with [Dobkin, Donaldson & Purkin], 251

Triflupromazine (Vesprin®): in anaesthesia [Davies, Hansen & Angell], 375; pharmacology of, 377

Ventilation, see Respiration

Ventilators: operating room machines, 222; physiological requirements of, 215, 219; pressure constant-volume variable machines, 221; respiratory therapy machines, 222; selection of a mechanical [Fairley], 219; volume constant-pressure variable machines, 220

Vesprin®, see Triflupromazine

Vomiting, during or after anaesthesia, therapeutic effect of perphenazine on, 341 Wilkinson, Frederick Arthur Harvey (Obitu-

ary), 292

World Congress of Anaesthesiologists (Editorial), 2

Zoxazolamine, use in management of severe systemic tetanus, 25



THE CANADIAN ANAESTHETISTS' SOCIETY JOURNAL



Editor R. A. GORDON


Editorial Board
ALAN B. NOBLE
LOUIS LAMOUREUX
E. A. GAIN

Printed and Published for THE CANADIAN ANAESTHETISTS' SOCIETY, Incorporated 516 Medical Arts Building, Toronto 5, Canada

by
University of Toronto Press
University of Toronto
Toronto 5, Ontario, Canada
Copyright Reserved

CONTENTS

VOLUME 6, 1959



CONTENTS

VOLUME 6

Number 1, January, 1959

A New Year's Greeting from the President	1
Editorial	2
Regurgitation in Anaesthesia: A Report on Some Exploratory Work with Animals	
J. G. Robson, f.f.a.r.c.s. (Eng.), and P. Welt, m.d.	4
Fluothane and Hypotension in Cats Anita C. Beaton, M.D.	13
The Role of the Anaesthesiologist in the Management of Severe Systemic Tetanus	
D. Leroy Crandell, M.D., Luther C. Hollandsworth, M.D., and Charles E. Whitcher, M.D.	24
The Short-Needle Technique in Brachial Plexus Block Guy Fortin, m.d., and Lionel Tremblay, m.d.	32
Sodium Methohexital: A Clinical Study GORDON M. WYANT, F.F.A.R.C.S., and Chung Ai Chang, M.D., D.P.H. (TORONTO)	40
The Effect of Anticholinergic Drugs on the Cardiac Vagus: I, Clinical Observations in Patients Undergoing Electroshock Treatment ALLEN B. DOBKIN, M.D.	
Report on the Use of Dipipanone Hydrochloride as a Postoperative Analgesia S. M. Campbell, M.B., F.R.C.P.(C), F.F.A.R.C.S.	
Endotracheal Intubation of Infants and Children HAROLD T. DAVENPORT, M.B., F.F.A.R.C.S., and JOSE K. ROSALES, M.D.	65
Cardiac Resuscitation W. A. Dodds, M.D., and P. G. Ashmore, M.D., F.R.C.S.(C)	75
News Letter	83

Number 2, April, 1959

Editorial: "Blood, Sweat, and Tears"	H. B. GRAVES, M.D.	87
Guest Editorial: What the Obstetrician E Anaesthetist	expects and Hopes for from the R. A. H. Kinch, F.R.C.S.(C)	90
A Circulator to Eliminate Mechanical De Systems	ead Space in Circle Absorption DAN G. REVELL, M.D.	98
An Improved Circulator for Closed Circle A	naesthesia DAN G. REVELL, M.D.	104
A Clinical Comparison of Sodium Thi Methitural (Neraval®), Sodium B Sodium Hexobarbital (Evipal®)	uthalitone (Transithal®), and	
GORDON M. WYANT, F.F.A.R.C.S., CH and	iung Ai Chang, m.d., ph.d.(tor.), Edward C. Cockings, m.b., ch.b.	108
The Effect of Anticholinergic Drugs on Cardiovascular Response of Animals to		119
Serotonin and the Carcinoid Syndrome	W. P. G. Jones, M.B., CH.B.	130
Intramuscular Succinylcholine for Endotra Children	, , ,	141
Fluothane Toxicity: Pathologic Studies of M	Mouse Liver and Kidney JAMES A. GIBSON, B.SC., M.D., C.M.	148
An Investigation of Ataraxics in Labour: Mount John J. Carroll, M.D., C.M.	Meprobamate (Equanil®) ., and Robert S. Morr, M.B., CH.B.	153
A Reliable Colorimetric Method for the Procaine in Human Whole Blood		159
Obituary: Dr. Roméo Rochette		169
Book Reviews		172
News Letter		175
Annual Meeting Programme		177
Examination Results, 1958		179
Membership List		181

Number 3, July, 1959

Address of the President			211
Artificial Respiration and Re	spirators	J. G. Robson, f.f.a.r.c.s.	215
The Selection of a Mechanic H. Bar		or y, m.b., b.s.(Lond.), f.f.a.r.c.s.(Eng.)	219
The Practical Value of the E	lectroence	phalogram during Anaesthesia E. A. Gain, m.d.	227
order during Anaesthes	ia Max S. Sad	Impending Localized Cerebral Disove, M.D., Cecil G. Yarborough, M.D., Murray, M.D., and Dorothy R. Becka	238
	sia with	phrine-induced Cardiac Arrhythmias Fluothane and the Fluothane-Ether	042
		B. Dobkin, M.D., and Noel Purkin, B.A.	243
in Dogs: II, Anaesthe chlorethylene	esia with	phrine-induced Cardiac Arrhythmias Cyclopropane, Chloroform, and Tri- ONALDSON, M.D., and NOEL PURKIN, B.A.	251
A Clinical Evaluation of Le			
		Cohen, and M. J. Diamond, M.B., Ch.B.	263
Changes in the Electrocar Endotracheal Intubation	n	uring Induction of Anaesthesia and	
	MARVIN J.	NOBLE and WILLIAM S. DERRICK, M.D.	267
		of Dogs Exposed to Mild Hypoxia d., and Gordon M. Wyant, F.F.A.R.C.S.	271
Ritalin [®] (Methylphenidate P. B. Percheson,		Experiences c.(c), John J. Carroll. B.A., M.D., C.M., and Guy Screech, M.A., M.B., B.Chir.	277
An Aid to General Anaesthe	esia for Bro	nchograms M. W. Bowering, C.D., M.D., F.A.C.A.	283
Vagus and Glossopharynge M. Keéri		ralysis: A Case Report D., and M. BELZILE, M.D., M.S.(N.Y.U.)	285
Correspondence			289
Obituary: Dr. F. A. H. Will	kinson		292
Canadian Anaesthetists' So	ciety Exec	utive Officers, 1959–1960	294

Number 4, October, 1959

The Legal Relationship between the Surgeon and the Anaesthetist	
JOHN H. HARLAND, M.B., B.CH.,	
and Alan W. Mewett, L.L.B., B.C.L., L.L.M., S.J.D.	299
A Year of Paediatric Cardiovascular Anaesthesia	
DAVID ALLAN, M.B., CH.B., A. W. CONN, M.D., B.SC. (MED), F.R.C.P. (C), and C. I. Junkin, M.B.	322
Anaesthesia with Hypothermia for Closure of Atrial Septal Defects in Children	
A. W. Conn, m.d., b.s.c. (med.), f.r.c.p. (c), David Allan, m.b., and C. I. Junkin, m.b.	327
Cardiac Output Determination in the Operating Room	
DAVID ALLAN, M.B., CH.B., A. W. CONN, M.D., B.SC. (MED), F.R.C.P. (C), and C. I. Junkin, M.B.	337
Perphenazine in Clinical Anaesthesia Allan B. Dobkin, M.D.	341
General Analgesia for Major Surgery	
RONALD S. LAMBIE, D.A. (ENG.), F.A.C.A.	347
Electroencephalographic and Electrocardiographic Patterns during Open Heart Operations with the Use of the Cardiopulmonary Bypass EVA M. KAVAN, M.D., VERNE L. BRECHNER, M.D., RICHARD D. WALTER, M.D., and LEONARD M. LINDE, M.D.	356
Fluothane in Obstetrical Anaesthesia	
Prepared by C. A. Sheridan, M.D., and J. G. Robson, M.D., F.F.A.R.C.S. (Eng.)	365
Triflupromazine (Vesprin®) in Anaesthesia: A Clinical Evaluation JOHN I. DAVIES, M.D., F.F.A.R.C.S., F.R.C.P.(C),	
JOHN M. HANSEN, M.D., F.F.A.R.C.S., and STEVEN N. ANGELL, A.B.	375
Indications for the Use of Fluids and Blood before and during Operation Kai Rehder, M.D., and T. H. Seldon, M.D.	385
Anileridine: A New Synthetic Analgesic in Anaesthesia JEAN-PAUL DECHÊNE, M.D., and CLAUDE HÉBERT, M.D.	393
Block of the Brachial Plexus by the Axillary Route FERNANDO HUDON, M.D., F.R.C.P.(C), F.F.A.R.C.S., and André Jacques, M.D., F.R.C.P.(C)	400
The Daymond Recovery Room	406
Obituary	408
Personalities from the Canadian Anaesthetists' Society Annual Meeting, 1959	409
Book Reviews	411
Index of Authors	413
Index of Subjects	415

